SDMS Doc ID 2010244



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IX LABORATORY 1337 S. 46TH STREET BLDG. 201 RICHMOND, CA 94804-4698

DEC 2 4 2002

MEMORANDUM

SUBJECT:

Case R03S08

Results for 1,4-Dioxane Analysis

FROM:

Brenda Bettencourt, Director

EPA Region 9 Laboratory (PMD-2)

TO:

Nancy Riveland-Har, Remedial Project Manager

Site Cleanup Section 4 (SFD-7-4)

Attached are the report narrative and results spreadsheet from analysis of samples from the Omega Chemical Superfund site. These data have been reviewed in accordance with EPA Region 9 Laboratory policy. Summary information for the data included in this report is as follows:

SITE/PROJECT:

Omega Chemical

CASE:

R03S08

LABORATORY:

U. S. EPA Region 9 Laboratory

SAMPLE DELIVERY GROUPS:

02323D, 02330B

ANALYSES:

1,4-Dioxane (EPA method 8270C)

A full documentation package for these data, including raw data and sample custody documentation, is on file at the EPA Region 9 Laboratory. If you would like to request additional review and/or validation of the data, please contact Vance Fong at the Region 9 Quality Assurance Office.

If you have any questions please contact Rich Bauer at (510) 412-2312, or Ken Hendrix at (510) 412-2321.

ATTACHMENT: Analytical Reports

USEPA REGION 9 LABORATORY REPORT NARRATIVE

CASE NUMBER:

SAMPLE DELIVERY GROUP (SDG):

PROGRAM:

DOCUMENT CONTROL #: ANALYSIS PERFORMED:

DATE:

R03S08 02323D

Superfund

B0101145-2258

1,4-Dioxane

December 17, 2002

SAMPLE NUMBERS:

Client <u>Sample ID</u>	Laboratory Sample ID	Client <u>Sample ID</u>	Laboratory <u>Sample ID</u>
GW402-MW08 A-0040	AB37672	GW402-MW09B-0054	AB37737
GW402-MW08 B-0070	AB37673	GW402-MW02A-0055	AB37766
GW402-MW08 C-0087	AB37674	GW402-MW05A-0049	AB37767
GW402-MW08 D-0116	AB37675	GW402-OW1A-0080	AB37797
GW402-MW01 A-0055	AB37676	GW402-OW1B-0116	AB37798
GW402-MW01 B-0080	AB37677	GW402-OW7-0081	AB37799
GW402-MW01 B-1080	AB37678	GW402-OW2-0078	AB37824
GW402-MW10 A-0057	AB37679	GW402-OW3-0080	AB37825
GW402-MW06A-0042	AB37735	GW402-OW5-0048	AB37826
GW402-MW09A-0032	AB37736	GW402-OW5-1048	AB37827

GENERAL COMMENTS

Twenty (20) water samples were received at the EPA Region 9 Laboratory on 11/19/02, 11/20/02, 11/21/02, 11/23/02, and 11/25/02 from the Omega Chemical project.

The samples were analyzed for 1,4-dioxane in accordance with Region 9 Laboratory SOP 315, Semivolatile Organics Analysis, modified to include 1,4-dioxane, based on EPA SW 846 Method 8270C, Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS), Revision 3, December 1996.

SAMPLE RECEIPT AND PRESERVATION

No issues related to shipping or preservation were encountered with these samples.

QA/QC AND ANALYTICAL COMMENTS

The following comments appear on the Summary of Analytical Results.

- A. Results detected at concentrations below the quantitation limit (QL) but greater than or equal to one half the QL are reported with a "J" flag to indicate the uncertainty of quantitation at these levels.
- B. The internal standard areas for the samples listed below do not meet the QC limits. Detected results and quantitation limits for the analyte associated with the internal standard in the samples listed below are estimated and "J" flagged.

Sample ID	Lab ID	Internal Standard	Area Count	QC Limit
GW402-MW01 A-0057	AB37679	1,4-Dioxane-d8	45543	52379 - 209516
GW402-MW01 A- 0057MS	AB37679MS	1,4-Dioxane-d8	37846	43230 - 172918
GW402-MW08 B-0070	AB37673	1,4-Dioxane-d8	44582	49169 - 196678
GW402-MW08 C-0087	AB37674	1,4-Dioxane-d8	43558	49169 - 196678
GW402-MW09B-0054	AB37737	1,4-Dioxane-d8	40986	43230 - 172918

The following QC results are associated with the samples in this SDG:

QC requirements were met for the initial calibration and all CCVs.

QC limits were met for all QCS percent differences, surrogate percent recoveries, LFB percent recoveries, LFM/LFMD (QC samples: GW402-MW08-0040 and GW402-MW01 A-0057) percent recoveries, internal standard area counts and retention times, and QLS percent recoveries, except as noted above.

All samples were extracted within the 7 day holding time for water samples and analyzed within the 40 day extract holding time.

No 1,4-dioxane was detected in the LRBs associated with these samples.

Any questions in reference to this data package may be addressed to Ziyad Rajabi at (510) 412-2390.

GLOSSARY

Initial Calibration

The initial calibration demonstrates that the instrument is capable of meeting the minimum relative response factors (RRFs) and has a linear calibration curve described by percent relative standard deviation (%RSD). The average RRFs determined in the initial calibration are used to quantitate analytes and surrogates.

Quality Control Standard (QCS)

The quality control standard is a mid-point calibration standard prepared from a source different than the calibration standards. The QCS is used to check the accuracy of the initial calibration standards.

Continuing Calibration Verification (CCV)

The continuing calibration verification checks the instrument performance daily by ensuring the instrument is capable of meeting the minimum relative response factors (RRFs) and continues to meet the linear calibration curve as demonstrated by percent difference (%D).

Quantitation Limit Standard (QLS)

The quantitation limit standard is used to demonstrate low level quantitation performance for all target compounds.

Laboratory Reagent Blanks (LRBs)

A laboratory reagent blank is laboratory reagent water or baked sand with all reagents, surrogates, and internal standards added and carried through the same sample preparation and analytical procedures as the field samples. The LRB is used to determine the level of contamination introduced by the laboratory during extraction and analysis.

Surrogates

Surrogates are organic compounds which are similar to the target analytes in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples. All samples are spiked with surrogate compounds prior to extraction. Surrogate percent recovery (%R) provides information about both the laboratory performance on individual samples and the possible effects of the sample matrix on the analytical results.

Laboratory Fortified Sample Matrix and Duplicate (LFM and LFMD) Analysis

Laboratory fortified sample matrix and duplicate analyses provide information about the effect of the sample matrix on sample preparation and measurement. Poor percent recovery (%R) results and large relative percent difference (RPD) between duplicates may indicate inconsistent laboratory technique, sample nonhomogeneity in soils, or matrix effects which may interfere with analysis.

Laboratory Fortified Blank (LFB) Analysis

A laboratory fortified blank is laboratory reagent water or baked sand with all reagents, surrogates, internal standards and representative target compounds added and carried through the same sample preparation and analytical procedures as the field samples. The LFB analyses

provide information about the laboratory and method performance. Poor percent recovery (%R) results may indicate poor laboratory technique or poor method performance for a particular class of compounds.

Internal Standards

Internal standards are organic compounds which are similar to the target analytes in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples. All samples are spiked with internal standard compounds prior to analysis. Internal standard recoveries and retention times provides information about both the instrument performance on individual samples and the possible effects of the sample matrix on the analytical results.

Suffixes to Sample ID and Lab ID

The following suffixes may be attached to sample ID's and lab ID's to distinguish between different extraction samples or analytical runs: RX for reextraction, RE for reanalysis, and DL for dilution analysis.

Case: R03S08

Site: Omega Chemical

SDG: 02323D Date: 12/18/02 Analysis: 8270C Matrix: water

Sample No.	GW402-N	1W01	A-00	055	GW402-M	W10 A-	0057	GW402-M	W01 B-	0080	GW402-M	W01 B-	1080	GW402-M	W02A-	0055
Location	M	W01A			MV	/10A		MV	V01B		MW	/01B		MV	V02A	
Lab Sample ID	AF	37676	í	i	AB3	7679		AB	37677		AB3	7678		AB:	37766	1
Date of Collection	11	/18/02	;		11/1	8/02		11/	18/02		11/1	8/02		11/	20/02	
Units	ug/L				ug/L			ug/L			ug/L			ug/L		1
Analyte	Result	•	Q_	Cmt	Result	Q	Cmt	Result	Q	Cmt	Result	Q	Cmt	Result	Q	Cmt
1,4-Dioxane	1		U		8	J	В	0.6	J	A	0.6	J	A	210		

Case: R03S08

Site: Omega Chemical

SDG: 02323D Date: 12/18/02 Analysis: 8270C Matrix: water

Sample No.	GW402-N	1W05A-0	0049	GW402	-MW06A-	0042	GW402-M	W08 A-	0040	GW402-M	W08 B-0	070	GW402-N	MW08 C-	0087
Location	M	W05A		N	MW06A		MV	V08A		MV	/08B		М	W08C	
Lab Sample ID	AB	37767		A	B37735		AB:	37672		AB3	7673		A)	B37674	
Date of Collection	114	20/02		1	1/19/02		11/	15/02		11/1	5/02		11	1/15/02	
Units	ug/L			ug/L			ug/L			ug/L			ug/L		
Analyte	Result	Q	_Cmt	Result	Q	Cmt	Result	Q	Cmt	Result	Q	Cmt	Result	Q	Cmt
1,4-Dioxane	120			19			1			1	UJ	В	1	UJ	В

Case: R03S08

Site: Omega Chemical

SDG: 02323D Date: 12/18/02 Analysis: 8270C Matrix: water

Sample No.	GW402-MV	V08 D-	0116	GW402-M	W09A-	0032	GW402-N	1W09B-	0054	GW402-O	W1A-0	080	GW402-O	W1B-0	116
Location	MW	08D		MV	V09A		M	W09B		OA	/1A		ov	V1B	1
Lab Sample ID	AB3	7675		AB	37736		AB	37737		AB3	7797		AB3	7798	
Date of Collection	11/1	5/02		11/	19/02		11.	19/02		11/2	2/02		11/2	2/02	
Units	ug/L			ug/L			ug/L		1	ug/L			ug/L		
Analyte	Result	Q	Cmt	Result	Q	Cmt	Result	Q	Cmt	Result	Q	Cmt	Result	Q	Cmt
1,4-Dioxane	1	U		0.6	J	Α	0.8	J	AB	72000			48		

3

Case: R03S08

Site: Omega Chemical

SDG: 02323D Date: 12/18/02 Analysis: 8270C Matrix: water

Sample No.	GW402-0	OW2-00	78	GW40:	2-OW3-00	080	GW402-	OW5-00	48	GW402-C	W5-10	48	GW402	-OW7-00)81
Location	O	W2			OW3		O	W5		0/	V5		(OW7	
Lab Sample ID	AB	7824		A	B37825		AB	37826		AB3	7827		Aĭ	337799	
Date of Collection	11/2	5/02		1:	1/25/02		11/	25/02		11/2	5/02		11	/22/02	Ì
Units	ug/L			ug/L			ug/L			ug/L			ug/L		ļ
Analyte	Result	Q	Cmt	Result	Q	Cmt	Result	Q	Cmt	Result	Q	Cmt	Result	Q	Cmt
1,4-Dioxane	1	U		0.7	J	A	16			17			1	U	

Case: R03S08

Site: Omega Chemical

SDG: 02323D Date: 12/18/02 Analysis: 8270C Matrix: water

Sample No.	Method	Blank-	1	Method	Blank-	2	Metho	d Blank-	3.		 		
Location	1										l		,
Lab Sample ID	DBL	K326		DBLI	C329		DE	LK336					
Date of Collection	11/2	22/02		11/25	5/02		1	2/2/02			l		
Units	ug/L			ug/L			ug/L						
Analyte	Result	Q	Cmt	Result	Q	Cmt	Result	Q	Cmt	_		 	
1,4-Dioxane	1	U		1	U		1	U					

5

USEPA REGION 9 LABORATORY REPORT NARRATIVE

CASE NUMBER:

R03S08

SAMPLE DELIVERY GROUP (SDG):

02330B

PROGRAM:

Superfund

DOCUMENT CONTROL #:

B0101145-2264

ANALYSIS PERFORMED:

1,4-Dioxane

DATE:

December 18, 2002

SAMPLE NUMBERS:

Client Sample ID	Laboratory <u>Sample ID</u>	Client Sample ID	Laboratory Sample ID
GW402-OW8-0075	AB37828	GW402-OW4B-0125	AB37830
GW402-OW4A-0073	AB37829	GW402-OW6-0048	AB37831

GENERAL COMMENTS

Four (4) water samples were received at the EPA Region 9 Laboratory on 11/26/02 and 11/27/02 from the Omega Chemical project.

The samples were analyzed for 1,4-dioxane in accordance with Region 9 Laboratory SOP 315, Semivolatile Organics Analysis, modified to include 1,4-dioxane, based on EPA SW 846 Method 8270C, Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS), Revision 3, December 1996.

SAMPLE RECEIPT AND PRESERVATION

No issues related to shipping or preservation were encountered with these samples.

QA/QC AND ANALYTICAL COMMENTS

No comments appear on the Summary of Analytical Results.

The following QC results are associated with the samples in this SDG:

QC requirements were met for the initial calibration and all CCVs.

QC limits were met for all QCS percent differences, surrogate percent recoveries, LFB percent recoveries, internal standard area counts and retention times, (QC samples: GW402-OW4B-0125) percent recoveries, and QLS percent recoveries.

All samples were extracted within the 7 day holding time for water samples and analyzed within the 40 day extract holding time.

No 1,4-dioxane was detected in the LRBs associated with these samples.

Any questions in reference to this data package may be addressed to Ziyad Rajabi at (510) 412-2390.

GLOSSARY

Initial Calibration

The initial calibration demonstrates that the instrument is capable of meeting the minimum relative response factors (RRFs) and has a linear calibration curve described by percent relative standard deviation (%RSD). The average RRFs determined in the initial calibration are used to quantitate analytes and surrogates.

Quality Control Standard (QCS)

The quality control standard is a mid-point calibration standard prepared from a source different than the calibration standards. The QCS is used to check the accuracy of the initial calibration standards.

Continuing Calibration Verification (CCV)

The continuing calibration verification checks the instrument performance daily by ensuring the instrument is capable of meeting the minimum relative response factors (RRFs) and continues to meet the linear calibration curve as demonstrated by percent difference (%D).

Quantitation Limit Standard (QLS)

The quantitation limit standard is used to demonstrate low level quantitation performance for all target compounds.

<u>Laboratory Reagent Blanks (LRBs)</u>

A laboratory reagent blank is laboratory reagent water or baked sand with all reagents, surrogates, and internal standards added and carried through the same sample preparation and analytical procedures as the field samples. The LRB is used to determine the level of contamination introduced by the laboratory during extraction and analysis.

Surrogates

Surrogates are organic compounds which are similar to the target analytes in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples. All samples are spiked with surrogate compounds prior to extraction. Surrogate percent recovery (%R) provides information about both the laboratory performance on individual samples and the possible effects of the sample matrix on the analytical results.

Laboratory Fortified Sample Matrix and Duplicate (LFM and LFMD) Analysis

Laboratory fortified sample matrix and duplicate analyses provide information about the effect of the sample matrix on sample preparation and measurement. Poor percent recovery (%R) results and large relative percent difference (RPD) between duplicates may indicate inconsistent laboratory technique, sample nonhomogeneity in soils, or matrix effects which may interfere with analysis.

Laboratory Fortified Blank (LFB) Analysis

A laboratory fortified blank is laboratory reagent water or baked sand with all reagents, surrogates, internal standards and representative target compounds added and carried through the same sample preparation and analytical procedures as the field samples. The LFB analyses

provide information about the laboratory and method performance. Poor percent recovery (%R) results may indicate poor laboratory technique or poor method performance for a particular class of compounds.

Internal Standards

Internal standards are organic compounds which are similar to the target analytes in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples. All samples are spiked with internal standard compounds prior to analysis. Internal standard recoveries and retention times provides information about both the instrument performance on individual samples and the possible effects of the sample matrix on the analytical results.

Suffixes to Sample ID and Lab ID

The following suffixes may be attached to sample ID's and lab ID's to distinguish between different extraction samples or analytical runs: RX for reextraction, RE for reanalysis, and DL for dilution analysis.

Case: R03S08

Site: Omega Chemical

SDG: 02330B
Date: 12/19/2002
Analysis: 8270C
Matrix: water

Sample No.	GW402-OW	4A-00	73	GW402-OV	V4B-0	125	GW402-O	W6-00	48	GW402-O	W8-00	75	Method	Blank-	·1
Location	OW4	A		OW-	4B		OW	/6		OW	/8				
Lab Sample ID	AB378	29		AB37	830		AB37	831		AB37	828		DBI	K336	ļ
Date of Collection	11/26/20	002		11/26/2	2002		11/26/	2002		11/25/	2002		12/2	/2002	
Units	ug/L			ug/L			ug/L			ug/L			ug/L		ĺ
Analyte	Result	Q	Cmt	Result	Q	Cmt	Result	Q	Cmt	Result	Q	Cmt	Result	Q	Cmt
1,4-Dioxane	2			1	U		1			510			1	U	

Case: R03S08

Site: Omega Chemical

SDG: 02330B Date: 12/19/2002 Analysis: 8270C Matrix: water

Sample No.	Method	Blank-	2		
Location					
Lab Sample ID	DBL	K337			
Date of Collection	12/3/	12/3/2002			
Units	ug/L				
Analyte	Result	Q	Cmt		
1,4-Dioxane	1	U			